



Sliding metal sleeve
protects USB port

Material/Lens: Machined aluminum alloy case. Type II MIL-Spec anodized finish. Polycarbonate lens; gasket sealed.

Dims/Weight: Length: 5.95 in. (151 mm) Body Diameter: 0.63 in. (16 mm); Weight: 1.8 oz (51.0 grams) with battery.

Light Source/Output: White LED, impervious to shock with a 30,000 hour lifetime.
High - 350 lumens; 2950 candela; 109 meter beam distance; 1.5 hour runtime
Low - 90 lumens; 840 candela; 58 meter beam distance; 3.5 hour runtime

On/Off: Push button tail switch - momentary or constant on operation.

Battery: Lithium Ion Battery. Rechargeable up to 300 times. Fully recharges battery in 2.5 hours and charges battery in product.
Charge indication LED: Red – Charging; Green – Charged.






Features:

- IPX4 water-resistant; 1m impact resistance tested
- Micro USB charge port under water resistant sliding cover. Rechargeable using supplied USB cord.
- Removable pocket clip
- Holster

Approvals: Meets applicable European Community Directives. CEC Compliant.

Warranty: Streamlight warrants this product to be free of defects for a lifetime of use except for batteries and bulbs, abuse and normal wear. We will repair, replace or refund the purchase price of this product should we determine it to be defective. This limited lifetime warranty also excludes rechargeable batteries, chargers, switches and electronics which have a 2 year warranty with proof of purchase. THIS IS THE ONLY WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES ARE EXPRESSLY DISCLAIMED EXCEPT WHERE SUCH LIMITATION IS PROHIBITED BY LAW. You may have other specific legal rights which vary by jurisdiction. Visit streamlight.com for full warranty information.

Item	UPC	Part #
Stylus Pro USB with 120V AC charge cord, nylon holster - Black with white LED	080926-66133-2	66133
Stylus Pro USB with USB cord, nylon holster. Black with white LED	080926-66134-9	66134
Stylus Pro USB with 240V AC charge cord, nylon holster - Black with white LED	080926-66135-6	66135
Stylus Pro USB with 230V AC charge cord, nylon holster - Black with white LED	080926-66151-6	66151

	Item	UPC	Part #
	Stylus Pro USB Battery	080926-66143-1	66143
	USB cord	080926-22070-6	22070
	120V AC USB Cord	080926-22071-3	22071
	120V AC USB Cord	080926-22072-0	22072
	Nylon Holster	080926-66029-8	66029



STYLUS PRO® USB
LITHIUM ION RECHARGEABLE FLASHLIGHT

MARKET

APPLICATIONS: Professional Light - Hardware/Tool, Industrial, Law Enforcement, Security, Automotive, Sporting Goods, Consumer.

DESCRIPTION: The Stylus Pro® USB is a sleek compact pen sized, USB rechargeable, lithium ion battery powered flashlight designed for use in all markets. It features a tail cap switch for momentary or constant on operation, high and low modes, a pocket clip for convenience, and amazing brightness and run time for a light of its size. The aluminum housing with Type II Military Spec anodizing helps make the light extremely durable and abrasion resistant. Packaged with a removable pocket clip and holster. Available in Black.

CASE MATERIAL: Machined aluminum alloy case. Type II MIL-Spec anodized finish.

DIMENSIONS: Length: 5.95 in. (151 mm) Body Diameter: 0.63 in. (16 mm)

WEIGHT: 1.8 oz (51.0 grams) with battery.

LENS: Polycarbonate lens; gasket sealed.

LIGHT SOURCE: LED technology, impervious to shock with a 30,000 hour lifetime.

LIGHT OUTPUT: High - 2950 candela peak beam intensity, 109 meter beam distance and 350 lumens measured system output.



Low - 840 candela peak beam intensity, 58 meter beam distance and 90 lumens measured system output.

ON/OFF: Push button tail switch - momentary or constant on operation.

RUN TIME: High - 1.5 hours of run time. Low - 3.5 hours of run time. All runtime claims are to 10% of initial lumen output.



BATTERY: Streamlight Lithium Ion cell pack with on board safety circuit. Rechargeable up to 300 times.

Fully recharges battery in 2.5 hours and charges battery in product. Charge indication LED: Red - Charging; Green - Charged.

FEATURES: LED technology for extreme brightness.



IPX4 rated for water resistant operation. All openings o-ring sealed. 1 meter impact resistance tested.

Micro USB charge port under water resistant sliding cover. Rechargeable using supplied USB cord. Removable pocket clip. Holster

APPROVALS: Meets applicable European Community Directives. CEC Compliant

WARRANTY: Streamlight's Limited Lifetime Warranty

OPTIONAL

ACCESSORIES: USB/AC adaptor(s).

	FL1 STANDARD	HIGH	LOW
OUTPUT	350 LUMENS	350 LUMENS	90 LUMENS
RUN TIME	1h 30m	1h 30m	3h 30m
DISTANCE	109m	109m	58m
INTENSITY	2950cd	2950cd	840cd

PERFORMANCE CURVE
High Output

