



REVISION HISTORY							
REV.	DESCRIPTION	DATE					
В	RESTORED ELECT FILE & CHGD SPECS PER CR# 1138	2002-07-09					
С	UPDATED DIMENSION PER P3 #06062	2007-08-31					
D	REVISE PER P11034	2012-03-06					

SPECIFICATIONS

1. CERTIFICATIONS: SAE J994 (AUG 1993), TYPE C

Note: Unique components, accessories, and hardware kits are not typically Included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.

- 2. SOUND PRESSURE LEVEL: $97 \pm 4 \text{ dB (A)} \otimes 1.2 \text{m (4ft)}$
- 3. VOLTAGE (NOMINAL): 12 VDC
- 4. VOLTAGE (EXTREME): 9.0 to 16.0 VDC
- 5. CURRENT (NOMINAL): 0.1 A
- 6. POWER (NOMINAL): 2 W
- 7. TEMPERATURE RANGE: -40°F (-40°C) TO 185°F (85°C)
- 8. FREQUENCY: 960 to 1440 Hz
- 9. CONNECTION: 8-32 UNI STUD CONNECTION
- 10. RECOMMENDED MOUNTING: 5/16 18 UNC, GRADE 5 OR BETTER, 5/16" TYPE A, SERIES N OR W WASHER
- 11. HOUSING MATERIAL: GLASS FILLED NYLON
- 12. PRODUCT WEIGHT: 0.8 LBS

<u> </u>		
1.3[32]	# 5	
1		•

NOTES: 1. DIMENSIONS IN INCHES[MILLIMETERS(FOR REFERENCE)]

NON DISCLOSURE AGREEMENT
DSES ARE THE PRIVATE PROPERTY OF ECCO AND IS ISSUED IN CONFIDENCE FOR ENGINEERINGINFORMATI Y NOT BE USED, COPIED, REPRODUCED, OR OTHERWISE DISCLOSED IN PART OR AS A WHOLE TO OUTSIDE!

DO NOT MANUALLY UPDATE.			APPR DRAWN BY CHECKED	ADM MDH	DATE 2012-02-28 2012-02-29			Electronic Controls Co. 833 West Diamond Street, Boise,ID 83705 800-635-5900		
TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES ARE:			MECH. ENG.	JLA	2012-02-28	www.eccolink.com				
MILLIMETERS DECIMALS	INCHES DECIMALS	ANGLES ± 0.5°	ELEC. ENG.	GCJ	2012-02-29	ALAR/	M,BACK-UP	, 97DBA ,1	2VDC,200 S	ERIES
XX. ± 1.0mm XX.X ± 0.5mm	X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02	FRACTIONS	TEST ENG.	JRT	2012-03-01	CUSTOMER PAR	T NO.		PRODUCT SERIES:	
		± 1/64	SALES.	DEH	2012-02-28	210			200	
THIRD ANGLE PROJECTION						SIZE: A	DWG. NO.	210)	REV.
						SHEET 1 OF 1	Project: 97005	Date Cr	eated: 1998-08-21] []