

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12050BEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR12050BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12050GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR12050GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR120500EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12050REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12050YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12075BEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12075BLKEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12075GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 125'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12075GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 125'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR120750EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 125'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12075REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 125'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12075YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 150'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12100BEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 150'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12100BLKEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 150'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12100GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 150'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12100GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 150'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR121000EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 150'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12100REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 150'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12100YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 200'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12150BEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 200'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12150BLKEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 200'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12150GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 250'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12150GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 250'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR121500EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 50'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12150REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 50'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12150YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 50'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12200BEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 50'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR12200BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 50'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12200GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 50'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12200GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR122000EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12200REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12200YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR12250BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR12250BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12250GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12250GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12250REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR12250YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38050BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 100'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38050BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 100'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38050GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 100'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38050GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 100'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR380500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 100'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38050REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 100'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38050YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 125'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38075BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 125'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38075BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 125'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38075GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 125'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38075GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 125'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR380750EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 150'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38075REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 150'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38075YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 150'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38100BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 150'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38100BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 150'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38100GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 150'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38100GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 150'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR381000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 200'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38100REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 200'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR38100YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 200'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38150BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 250'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38150GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 50'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38150GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 50'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR381500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 50'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38150REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 50'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38150YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 50'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38200BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 50'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38200BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 50'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38200GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38200GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR382000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR38200REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38200YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38250BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38250BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38250GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38250GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR382500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38250REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR38250YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	19,600 lbs.	5:1	3,520 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516050BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 100'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516050BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 100'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516050GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 100'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516050GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 100'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR5160500EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 100'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516050REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 100'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516050YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 100'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516075BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 150'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516075BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 150'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516075GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 150'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516075GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 150'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR5160750EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 150'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516075REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 150'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516075YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 150'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516100BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 200'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516100BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 200'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516100GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 200'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516100GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 200'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR5161000EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 200'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516100REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 200'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516100YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 200'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516150BEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 250'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516150BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 250'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516150GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 250'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516150GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 3'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR5161500EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 50'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516150REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 50'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516150YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 50'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516200BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 50'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516200BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 50'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516200GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 50'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516200GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 50'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR5162000EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516200REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516200YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516250BEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516250BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516250GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR516250GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR5162500EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516250REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR516250YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/16" x 75'	12,300 lbs.	13,700 lbs.	5:1	2,460 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR122500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 300'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716030EXTSS**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 100'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716050BEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 100'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716050BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 100'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716050GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 100'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716050GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 100'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR7160500EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 100'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716050REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 100'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716050YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 100'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716075BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 125'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716075BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 125'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716075GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 125'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716075GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 125'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR7160750EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 125'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716075REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 150'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716075YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 150'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716100BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 150'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716100BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 150'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716100GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 150'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716100GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 150'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR7161000EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 150'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716100REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 200'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716100YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 200'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716150BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 200'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716150BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 250'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716150GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 250'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716150GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 3'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR7161500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 50'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716150REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 50'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716150YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 50'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716200BEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 50'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716200BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 50'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716200GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 50'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716200GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 50'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR7162000EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716200REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716200YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR716250BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716250BLKEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716250GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716250GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR7162500EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716250REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR716250YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	21,500 lbs.	23,900 lbs.	5:1	4,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR12050BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	34,000 lbs.	5:1	6,120 lbs.