



SpillTech
Sales & Marketing
 5440 McGinnis Village Place
 Suite 102
 Alpharetta, GA 30005
 Phone: 1-800-228-3877
 Fax: 1-800-872-3764

SpillTech
Manufacturing
 Brookley Industrial Complex
 1627 O'Donoghue Street
 Mobile, AL 36615
 Phone: 1-251-694-0102

Chemical Compatibility Guide For SpillPal™, Duck Pond™ and Folding Duck Pond™ Containment Units

This Chemical Compatibility Guide is offered for informational purposes only and was developed from information sources other than SpillTech. The information from such third party sources is believed to be reliable and accurate; however, Purchaser should make its own determination of compatibility before using any SpillTech product.

Ratings are based on visual physical examination of sample after removal from immersion in the test chemical at room temperature. Results represent ability of the material to retain its performance properties when in contact with test chemical.

It is the sole responsibility of the Purchaser to determine whether any product is suitable for Purchaser's actual or intended uses.

NO GUARANTEE, WARRANTY, OR REPRESENTATION IS MADE, INTENDED, OR IMPLIED AS TO THE CORRECTNESS OR SUFFICIENCY OF THE CHEMICAL COMPATABILITY GUIDE OR ANY INFORMATION SUPPLIED HEREIN. THE PRODUCTS DISCUSSED HEREIN ARE SOLD WITHOUT ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED. NO WAIVER, ALTERATION, ADDITION OR MODIFICATION OF THE FOREGOING CONDITIONS SHALL BE VALID UNLESS MADE IN WRITING AND MANUALLY SIGNED BY AN OFFICER OF SPILLTECH. IT IS THE PURCHASER'S SOLE RESPONSIBILITY TO CONDUCT TESTING TO ESTABLISH THE SUITABILITY OF ANY PRODUCT FOR PURCHASER'S INTENDED USE. LIABILITY OF SPILLTECH FOR ALL CLAIMS, WHETHER ARISING OUT OF A BREACH OF CONTRACT, WARRANTY, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, IS LIMITED TO THE PURCHASE PRICE OF THE MATERIAL SUPPLIED.

Rating Key: R = Recommended for use NR = Not recommended NA = Not tested F = Failed

Chemical	Rating at 72° F	Chemical	Rating at 72° F	Chemical	Rating at 72° F
Ammonium Bifluoride	R	Diethyl Ether	NR	Mineral Oil	R
Ammonium Fluoride, 25%	R	Diethylene Glycol	NA	Naptha	R
Ammonium Hydroxide	R	Dimethyl Hydraxine	NR	Napthalene	NR
Ammonium Sulfate	R	Disodium Phosphate	R	Nitric Acid, 30%	R
Amyl Acetate	NR	Ethers	NR	Nitric Acid, 100%	NR
Aqua Regia	R	Esters	NR	Oleic Acid	R
Beer	R	Ethyl Alcohol	R	Phosphoric Acid	R
Benzene	NR	Ethylene Glycol	R	Potash	R
Benzyl Alcohol	NA	Fatty Acids	R	Potassium Chloride	R
Black Liquor	R	Formaldehyde	R	Potassium Hydroxide	R
Bleach 12.5%	R	Fructose	R	Potassium Hypochlorite	R
Boric Acid	R	Furfural	NR	Propyl Alcohol	R
Bromic Acid	R	Gasoline	F	Sea Water	R
Butane	R	Gin	R	Soaps	R
Butylene	R	Green Liquor	R	Sodium Chloride	R
Calcium Chloride	R	Hydrochloric Acid, 50%	R	Sodium Hydroxide, 70%	R
Carbon Tetrachloride	NR	Hydrofluoric Acid, dilute	R	Sodium Nitrate	R
Caronic Acid	R	Hydrogen Peroxide, 90%	R	Stearic Acid	NR
Castor Oil	R	Hydrogen Sulfide, aqueous	R	Sulfur	R
Chloric Acid, 20%	R	Iodine Solution	NA	Sulfuric Acid, 80%	R
Chlorine, Liquid	NR	Ketones	NR	Sulfuric Acid, 100%	NR
Citric Acid	R	Lacquers	NA	Tanning Liquors	R
Coconut Oil	NA	Linseed Oil	R	Toluene, Toluol	NR
Copper Nitrate	R	Magnesium Chloride	R	Urea	R
Copper Sulfate	R	Methyl Alcohol	R	Vegetable Oil	R
Corn Syrup	R	Methyl Bromide	NR	Whiskey	R
Cottonseed Oil	R	Methyl Ethyl Ketone	NR	Wines	R
Detergents	R	Methylene Chloride	NR	Zinc Chloride	R